

LEGEND

Glacial and glacio-fluvial processes

- Modern glacier
- Glacier extent during the Little Ice Age (LIA) with latero-frontal moraines
- Glacier extent during the Egesen stadial (YD) with lateral moraines
- Ice-marginal deposits (gravel, sand) of the Early Lateglacial phase of ice-decay
- Ice surface during the LGM based on van Husen (1987)

Gravitational and related processes

Kolm-Saigurn

Lenzanger landslide (2) - (Early Holocene)

- Scarp
- Deposit

Durchgangwald landslide (1) - (Bølling/Allerød-Interstadial)

- Scarp
- Deposit

North of Bodenhaus

Frohnwirt rockfall (6) - (Late Holocene)
Scarp and deposit

Backwater deposit of Lechnerhäusl landslide **(5)**

Lechnerhäusl landslide (4) - (? Middle Holocene)

Scarp
Contiguous deposit
- Toma hills

Bucheben landslide (3) - (? Early/Middle Holocene)

Scarp
Contiguous deposit
- Toma hills

Deep-seated gravitational slope deformation (DSGSD)

- scarp of a DSGSD **(7)**
- area affected by a DSGSD **(8)**
- Backwater deposit of a DSGSD **(9)**

Additional featurs

- **Drill site at**
  (A) Lechnerhäusl **(B)** Frohnwirt
- Buildings indicated in maps
- Mountain peaks